<u>L10</u>

<u>L9</u>

<u>L8</u>

<u>L7</u>

<u>L6</u>

<u>L5</u>

<u>L4</u>

L8 and second adj subframe same zero

L8 and second adj subfame same zero

L6 and second adj period and zero

L2 and second adj (period or subfame) same zero

L5 and frame same first adj period same second adj period

12 and (data adj writ\$6 adj circuit or data adj driver\$)

12 and (data adj writ\$6 adj circuit or data adj driver\$)

0

97

3

27

4894

4894

<u>L:10</u>

<u>L9</u>

<u>L8</u>

<u>L7</u>

<u>L6</u>

<u>L5</u>

<u>L4</u>

## Freeform Search

	US Pre-Grant Publication Full-Text Database		
	US Patents Full-Text Database US OCR Full-Text Database		
Date	base: EPO Abstracts Database		
Data	JPO Abstracts Database		
	Derwent World Patents Index		
	IBM Technical Disclosure Bulletins		
	second adj subframe near2 zero	図	
Teri	n:		
Disp	lay: 20 Documents in <u>Display Format</u> : TI Starting with	h Number 1	<u> </u>
Gen	erate: O Hit List O Hit Count O Side by Side O Image		
	Search Clear 4 1 Interrupt 7		
	Search History		
DATE: \	Vednesday, January 31, 2007 <u>Purge Queries</u> <u>Printable Copy</u>	Create Coo	
DAIE. V	Vednesday, January 31, 2007 <u>Purge Queries</u> <u>Printable Copy</u>	Create Case	<u> </u>
Set Name Query			Set Name
side by side			result set
DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L17</u>	second adj subframe near2 zero	2	<u>L17</u>
<u>L16</u>	second adj subframe same zero	43	<u>L16</u>
<u>L15</u>	second adj subfreme same zero	0	<u>L15</u>
DB=US	PT; PLUR=YES; OP=ADJ		
<u>L14</u>	111 and second adj subframe near4 zero	0	<u>L14</u>
DB=PC	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L13</u>	111 and second adj subframe near4 zero	0	<u>L13</u>
<u>L12</u>	111 and second adj subframe near2 zero	0	<u>L12</u>
L11	L8 and @py<=2003	54	L11

Freeform Search Page 2 of 2

<u>L3</u>	L2 and pixel adj value same frame same subframe	8	<u>L3</u>
<u>L2</u>	(hold adj type or hold-type or LCD or liquid adj crystal) adj display\$1	368040	<u>L2</u>
<u>L1</u>	(LCD or liquid adj crystal adj display\$1) same data adj driv\$6	4132	<u>L1</u>

**END OF SEARCH HISTORY** 

12

10

107

156

1

368040

<u>L6</u>

<u>L5</u>

<u>L4</u>

<u>L3</u>

<u>L2</u>

LI

## Freeform Search

Dat	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Ter	L7 and second adj (period or subframe) near2  m: (zero or black)		
Dis	play: 20 Documents in <u>Display Format</u> : TI Starting with	Number 1	
Ger	nerate: O Hit List O Hit Count O Side by Side O Image		
	Search Clear Clear Continuer Cupt		
	Search History		
DATE:	Wednesday, January 31, 2007 Purge Queries Printable Copy	Create Case	!
Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L9</u>	L7 and second adj (period or subframe) near2 (zero or black)	6	<u>L9</u>
<u>L8</u>	L7 and second adj (period or subframe) near2 (zero or black)	6	<u>L8</u>
<u>L7</u>	L4 and py<=2002	107	<u>L7</u>
Τ.6	L2 and first adj subframe same second adj subframe same (zero or	10	1.6

**END OF SEARCH HISTORY** 

black)

L2 and second adj subframe same zero

L2 and second adj (period or subframe) same zero

L2 and second adj (period or subframe) same (zero or black)

(hold adj type or hold-type or LCD or liquid adj crystal) adj display\$1

(hold adj type or hold-type or LCD or liquid adj crystal) ad display\$1

<u>L6</u>

<u>L5</u>

<u>L4</u>

<u>L3</u>

<u>L2</u>

<u>L1</u>